

CLASSIC & BUILDER SERIES ACCESSORIES & ACCENTS


ACCESSORIES & ACCENTS

PROFILES, COLORS & SIZING INFORMATION

Top off your project with the finishing details of Mountain Stone® Accessories and Accents.

ALL ACCESSORIES & ACCENTS AVAILABLE IN THESE COLORS






APEX POST CAPS (HAMMER FACE)	ltem#	A	В	С	D
28" x 28"	PC28x28HF	28"	28"	4"	6"



FLAT POST CAPS (TEXTURED SIDES)	Item#	A	В	С	D
22" x 22" (shown)	PC22x22FT	22"	22"	4"	_
28" x 28"	PC28x28FT	28"	28"	4"	_



FLAT WALL CAPS (TEXTURED SIDES)	ltem#	A	В	С	D
12" x 18" (shown)	12X18W	12"	18"	2"	_
14" x 16"	14X16W	14"	16"	2"	_



HEARTHSTONES	Item#	A	В	С	D
22" x 22"	HR22X22	22"	22"	2"	_

Actual product color may vary. We recommend reviewing product samples before making final color selections. All Mountain Stone products are NCMA certified and comply with ASTM C1670/C1780. Visit mtstone.com for installation guidelines and more information. *Some colors are considered premium based on availability and cost increases of manufacturing materials.

ACCESSORIES & ACCENTS

PROFILES, COLORS & SIZING INFORMATION

KEYSTONES (HAMMER FACE)	Item#	A	В	С	D
10 ⁵ /8"	KS10584	105/8"	4"	8"	1 1/2"



LIGHT & OUTLET BOXES	Item#	Α	В	С	D
LIGHT	LB	83/4"	103/4"	1.5"	3 ⁷ / ₈ " x 3 ⁷ / ₈ "
OUTLET	OBF	61/2"	8"	1.5"	23/8" x 4"












SILLS (ROCKFACE)	Item#	Α	В	С	D
MARIETTA	MS	231/2"	21/2"	2"	21/4"
SUWANEE	SS	24"	33/4"	21/4"	21/2"
42"	SILL426	42"	41/2"	5"	41/2"

ACCENT STONES & WINDOW STONES (ROCKFACE)	Item#	A	В	С	D
ACCENT STONE	LSA	75/8"	5"	3"	_
WINDOW STONE	WS	75/8"	5"	11/2"	_





TECH DATA

- Compressive Strength (at 28 days) Meets or exceeds ASTM standard 1800 PSI typical result 5,500 PSI avg. min.
- Water Absorption (at 28 days) Does not exceed 15.2%
- Fireproof? Yes: Will not contribute to smoke or flame development
- · Colorfastness: Existing applications show no undesirable change in coloring after years of weathering

Actual product color may vary. We recommend reviewing product samples before making final color selections. All Mountain Stone products are NCMA certified and comply with ASTM C1670/C1780. Visit mtstone.com for installation guidelines and more information. *Some colors are considered premium based on availability and cost increases of manufacturing materials.



MTSTONE.COM | 800.781.0277 | LEEBP.COM











©2023 MOUNTAIN STONE BY LEE BUILDING PRODUCTS. ALL RIGHTS RESERVED.