

# The Enclave at LOCHMERE

### CLASSIC SERIES PRODUCT PROFILE: | SOUTHERN LEDGE

## SOUTHERN LEDGE PROFILE INFORMATION & COLOR OPTIONS

#### Horizontally slender, irregular shapes with various sizes and rustic edges.

#### **COLOR OPTIONS**



FLATS	CORNERS
FLATS: SIZE WILL VARY BY UNIT LENGTH: 4"-20.75"   HEIGHT: 1"-4" WEIGHT: 7 LBS.   THICKNESS: 1.5"	CORNERS: SIZE WILL VARY BY UNIT SHORT RETURN: 2.25"-2.625" LONG RETURN: 6"- 9.257"   HEIGHTS: 1"-4"
Coverage & packaging based on 1/2" mortar joints. Packaged in <b>10 sq. ft.</b> handy box.	THICKNESS: 1.5"   Coverage & packaging based 1/2" mortar joints.   Packaged in 10 lin. ft. handy box.

#### **TECH DATA**

- Compressive Strength (at 28 days) Meets or exceeds ASTM standard 1800 PSI typical result 5,500 PSI avg. min.
- Water Absorption (at 28 days) Does not exceed 15.2%
- Fireproof? Yes: Will not contribute to smoke or flame development
- · Colorfastness: Existing applications show no undesirable change in coloring after years of weathering

Actual product color may vary. We recommend reviewing product samples before making final color selections. All Mountain Stone products are CMHA certified and comply with ASTM C1670/C1780. \*Some colors are considered premium based on availability and cost increases of manufacturing materials. Visit mtstone.com for installation guidelines and more information.



MTSTONE.COM | 800.781.0277 | LEEBP.COM





©2023 MOUNTAIN STONE BY LEE BUILDING PRODUCTS. ALL RIGHTS RESERVED.